

## ACID WASH 201

### HEAVY-DUTY ACID CLEANER

**ACID WASH 201** is a high performance acid cleaner specially designed for transportation trucks.

**ACID WASH 201** effectively removes oxidation from aluminum and brightens the surface without “pitting” or corrosion.

### FEATURES AND BENEFITS

- Low foaming
- Can be used in high pressure systems
- Low viscosity
- Fast acting
- Very effective on limestone



### DIRECTION FOR USE

<b>Equipment to be treated</b>	Tanks, trailers, exhaust pipes and other parts made of aluminum.
<b>Soils to be removed</b>	Lime deposits and oxidation.
<b>Use procedure</b>	Apply with a sprayer, before washing.
<b>Concentration</b>	Use only at the recommended strength. 7% for spray applications.
<b>Temperature</b>	Efficient in hot or cold water.
<b>Contact time</b>	Leave the product in contact with the surface for 3 to 5 minutes.
<b>Rinsing</b>	Rinse with a high pressure system, with hot water.

## PHYSICAL PROPERTIES

Appearance	Clear, red liquid
Odour	Acidic
Specific gravity @ 20°C	1.080-1.085
Viscosity	Not available
pH	< 1
Flash point (TCC)	None
Water solubility	Complete
Auto ignition temperature	Not available
Chlorine	None
Boiling point	100°C
Freezing point	Approx. -5°C
Foaming tendency	Faint
Concentration monitoring techniques	Not applicable
Rinsing	Excellent

## INCOMPATIBILITY

Bases, organic matter  
light metals, chlorine

## WAREHOUSING PRECAUTIONS

Keep containers tightly closed in a dry, cool and well-ventilated place

## AVAILABLE SIZES

		
<b>20L</b>	<b>205L</b>	

## IMPORTANT

Before using **ACID WASH 201**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

## FIRST AID MEASURES

### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If available, apply one or two drops of 0.5% "pontocain hydrochloride solution" followed by further rinsing. Irrigate with 1% calcium gluconate in normal saline for 1 to 2 hours to prevent or lessen possible corneal damage.

### Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If available, immerse exposed area in a solution of 0.13% iced aqueous "zephiran chloride" or directly apply 2.5% calcium gluconate gel.

### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

### Ingestion

Do not induce vomiting. Drink 1 or 2 glasses of water, milk, or milk of magnesia. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

## PERSONAL PROTECTION



WHMIS

