

### **DICHLOROSAN A + B**

CHI ORINE DIOXIDE BASED SANITIZER

**DICHLOROSAN A + B** may be used as sanitizer on equipment in food processing plants, farms and in the horticulture industry.

**DICHLOROSAN A + B** is also used for the treatment of wells, irrigation and drinking water systems.

**DICHLOROSAN A + B** is activated when the **DICHLOROSAN A and B** powders are diluted in water.

#### FEATURES AND BENEFITS

- Reduces the microbiological contamination of water
- Prevents and destroys mold and yeasts
- Does not form polluting by-products in the environment
- Effective in the presence of organic matter
- · More effective than chlorine, at lower dilution
- · No accumulated cellular resistance
- Effective on a wide spectrum of microorganisms
- Effective on biofilm
- Biodegradable
- Powerful oxidizer



## DIRECTION FOR USE

**Stock solution** 

**Prepare a 2000 ppm stock solution prior to dilution and use.** A mixture of 1% (10g / litre) of **DICHLOROSAN A** and 1% (10g /litre) of **DICHLOROSAN B** will give a 2000 ppm solution of chlorine dioxide. Mix an equal quantity of **DICHLOROSAN A** and **DICHLOROSAN B** in water, mix gently and let react for 30 minutes.

Agri-food and horticultural Buildings and Equipment

EQUIPMENT SURFACES, CEILINGS, WALLS, FLOORS

Manually remove as much soils as possible. Clean with a suitable detergent solution. Rinse with potable water. Use a 200 to 2000 ppm undiluted stock solution or at up to 1:10 and apply by spraying or circulation and / or soaking. (For concentrations greater than 200 ppm, rinse all food contact surfaces with potable water).

Shock treatment and fogging

Use a 500 to 2000 ppm undiluted stock solution or at up to 1:4. Rinse all food contact surfaces with potable water.

**Treating wells** 

Add 25 ml (1 oz.) of 2000 ppm stock solution for every foot of lenght (6" diameter well) to give 10 ppm of chlorine dioxide for 10 days. (Ex.: For a 200 ft well, add 5 litres of stock solution) (Multiply 200 X 25 ml = 5000 ml = 5 Litres)

**Irrigation system** 

Dilute the stock solution to a obtain a solution between 0.2 to 0.5 ppm.

Watering System

Dilute the stock solution to a obtain a solution of 1 ppm.

#### ALWAYS ADD DICHLOROSAN A TO WATER BEFORE DICHLOROSAN B

Always dissolve the same amount of **DICHLOROSAN A** and **DICHLOROSAN B**, for desired concentration. Stir lightly and let the mixture react for 30 minutes before use.



### DICHLOROSAN A + B CHLORINE DIOXIDE BASED SANITIZER

## PHYSICAL PROPERTIES

**Appearence** 

Odour

Specific gravity @ 20°C

Viscosity

pН

Flash point (TCC)

Water solubility

Auto ignition temperature

Chlorine

**Boiling point** 

Freezing point

Foaming tendency

**Concentration monitoring techniques** 

Rinsing

DICHLOROSAN A	DICHLOROSAN B
Grayish, granular powder	White globular beads
Faint chlorine	None
Not applicable	Not applicable
Not applicable	Not applicable
Not applicable	< 1 (5% solution)
None	None
Not available	285 g/L at 25°C
None	None
Sodium chlorite	None
Not applicable	Not applicable
Not applicable	315°C
Non-foaming	Non-foaming
Titration	Titration
Excellent	Excellent

#### **INCOMPATIBILITY**

DICHLOROSAN A

**DICHLOROSAN B** 

Acids, reducing agents, organic materials

Oxidizers, chlorinated products

#### **WAREHOUSING PRECAUTIONS**

Keep containers tightly closed in a dry, cool and well-ventilated place

#### **AVAILABLE SIZES**





#### **IMPORTANT**

Before using **DICHLOROSAN A + B**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

#### FIRST AID MEASURES

#### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

#### Skin contact

Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

#### Indestior

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

# PERSONAL PROTECTION













2365 W Railway St Abbotsford, BC 604-859-4240 **unitedagri.com** 

