

## **GLUQUAT 300**

### HIGH-EFFICIENCY DISINFECTANT

**GLUQUAT 300** is a non-corrosive, glutaraldehyde/ quaternary ammonium-based disinfectant used for disinfection of agricultural and horticultural buildings such as hog barns and poultry housing facilities, hatcheries and livestock trucks and trailers.

### FEATURES AND BENEFITS

- Non-corrosive
- Contains 12.5% glutaraldehyde
- Contains 6,7% 5<sup>th</sup> generation quartenary ammonium compounds
- · Effective in warm, cold and hard water
- · Wide virucidal and microbiocidal spectrum
- · Low reactivity with organic matter
- · Extremely efficient and fast acting
- Pleasant odour

CIQUAT 309

CICUAT 309

CIQUAT 309

CICUAT 309

CICAT 309

CICUAT 309

CICUAT 309

CICUAT 309

CICUAT 309

CICUAT

**DIN 02449234** 

## DIRECTION FOR USE

Equipment to be treated

Agricultural and horticultural equipment and premises: trucks, ceilings, walls, floors

Use procedure

- 1. Remove all animals and feed.
- 2. Remove all dirt, manure, debris from floor or surface.
- 3. Pre-rinse with water to pre-clean. (High pressure if possible).
- 4. Clean with an alkaline cleaner.
- 5. Rinse with water. (High pressure if possible).
- 6. Apply **GLUQUAT 300** to disinfect the cleaned surface manually, by using a foaming applicator, or by fogging.
- 7. Allow the disinfected surface to air for 4 hours before admitting livestock.

Concentration

0,5% (5 ml/litre or 25 ml/5 litres of water) (1:200)

**Contact time** 

Minimum 10 minutes. Do not house livestock or use equipment until treatment has been absorbed and set to dry.

**Temperature** 

Between 4°C and 40°C (39 and 105°F).

Rinsing

All food contact surfaces, treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly rinsed with potable prior to reuse.

#### **TESTED SUCCESSFULLY IN INDEPENDENT LABORATORY against:**

- Pseudomonas aeruginosa
- · Salmonella enterica
- Staphylococcus aureus



## PHYSICAL PROPERTIES

**Appearence** 

Odour

Specific gravity @ 20°C

**Viscosity** 

pН

Flash point (TCC)

Water solubility

Auto ignition temperature

Chlorine

**Boiling point** 

Freezing point

Foaming tendency

Concentration monitoring techniques

Rinsing

Clear, yellow liquid
Aldehyde

1.04

< 10 cps

4-5

None

Complete

None

None

100°C

Not available

Moderate

Refractive index

Excellent

#### **INCOMPATIBILITY**

Strong oxidizers

#### **WAREHOUSING PRECAUTIONS**

Keep containers tightly closed in a dry, cool and well-ventilated place

AVAILABLE SIZES				
4 X 4L	20L	205L		



#### **IMPORTANT**

Before using **GLUQUAT 300**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

### FIRST AID MEASURES

#### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

#### **Skin contact**

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

#### Indestior

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

# PERSONAL PROTECTION















2365 W Railway St Abbotsford, BC 604-859-4240 **unitedagri.com** 

