

# WEDAC

## FOAMING ACID CLEANER

**WEDAC** is a non-fuming, low odor, high-foaming acid cleaner designed for a variety of applications including aluminum restoration, scale and rust removal, priming metallic surfaces for painting and as an acidic pre-soak in vehicle wash cleaning applications.

**WEDAC** is effective on many types of metals such as copper, brass, stainless steel, soft metals and aluminum and improves paint and varnish adhesion to primed metal surfaces.

## FEATURES & BENEFITS

- High foaming
- Low viscosity
- Water dilutable
- Mild odour
- Inhibited formula available in **KLEEN-EZEY**
- May be used with foaming equipment
- Easily rinsable



## DIRECTIONS FOR USE

- |                                  |  |
|----------------------------------|--|
| <b>Use procedure</b>             | Apply to surfaces free of excess debris and oils or grease. May be used manually or with an adequate foaming or low-pressure system. Scour or brush stubborn deposits. Re-apply if necessary.  |
| <b>Concentration</b>             | <p>Foamer applications, 20:1 to 5:1 or approximately 4 - 17% v/v with water.</p> <p>For acidic pre-soak vehicle wash applications:<br/>Low-pressure spray, 100:1 or approximately 0.9 - 1.0% v/v with water.</p> <p>For heavy build-up, more than one application may be required.</p> |
| <b>Use temperature</b>           | Cold to ambient.   |
| <b>Dwell time/Operation time</b> | 5 to 15 minutes.   |
| <b>Mechanical action</b>         | Scrubbing recommended.   |
| <b>Rinsing</b>                   | Ensure thorough rinsing with hot or cold water especially with soft metals, cast-iron, galvanized or mild steel.   |

## PHYSICAL PROPERTIES

Appearance	Clear, red liquid
Odour	Faint detergent
Specific gravity @ 20°C	1.4
Viscosity	10 - 30 cps
pH	<1.0
Flash point (TCC)	None
Water solubility	Complete
Boiling point	100°C (212°F)
Freezing point	Not available
Foaming tendency	High
Rinsing	Excellent
Concentration monitoring techniques	Titration, electrical conductivity, refractive index


## INCOMPATIBILITY

Bases, organic materials, light metals, bleach

## WAREHOUSING PRECAUTIONS

Keep containers tightly closed away from direct sunlight in a dry, cool and well-ventilated place, away from incompatible materials.

## AVAILABLE SIZES



4L

20L

205L

1000L

## IMPORTANT

Before using **WEDAC**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

## FIRST AID MEASURES

### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

### Ingestion

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

## PERSONAL PROTECTION



WHMIS

